APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	Date of filing in State Engineer's Office	3 1 1984
Ret	Returned to applicant for correction	
Cor	Corrected application filed	
Map		3 1 1984 under 48069
		. Carver
	Rt. 2, Box 17	Round Mountain
	Street and No. or P.O. Box No.	of City or Town
	Nevada 89045 , hereby n	nake application for permission to appropriate the public
wate	waters of the State of Nevada, as hereinafter stated. (If ap	plicant is a corporation, give date and place of incorpora-
tion	tion; if a copartnership or association, give names of memb	pers.)
	•	,
		praround
1.	1. The source of the proposed appropriation is	Name of stream, lake, spring, underground or other source
	••	
2.	2. The amount of water applied for is O. 1 C. 7. S	second-feet c second-foot equals 448.83 gals. per min.
3.	3. The water to be used for Quasi municipa	g, manufacturing, domestic, or other use. Must limit to one use.
4.	Trigation, power, mini	g, manufacturing, domestic, or other use. Must find to one use.
		be watered
	• •	,
	(d) Power:	for the local control of
	(1) Horsepower developed	for all many and an arrange of the
	(2) Point of return of water to stream	
5.	5. The water is to be diverted from its source at the following	owing point in the S.W. 4 of the N.W. 4 of Describe as being within a 40-acre subdivision of public
	Section 29, T. 11 N., R. 43 E., M.D. survey, and by course and distance to a section corner. If on unsurve	.M., from which the W.14 corner of said
	Section 29 bears S.450 W., a distan	
6.	6. Place of use The S.E. 4, S.W. 4 and N.W. 4	of the N.W. 4 of Section 29, T. 11 N.,
		SIOII. It On unsurveyed faild, it should be so stated.
-	7. Use will begin about January 1st and end	Jahout December 31st of each year
7.		
8.		s of NRS 535.010 you may be required to submit plans and illed well with pump and electric motor.
	flumes drilled well with nump and motor, etc.	
9.	9. Estimated cost of works \$10,000,00	

10. Estimated time required to construct works. Two (2) years. If well complete	cted, describe works.		
11. Estimated time required to complete the application of water to beneficial u			
	narks: For use other than irrigation or stock watering, state number and type of units to be served or annual		
use; 12.7 million gallons annually, based on a	pproximately 80 residential		
lots.	•		
	nneth L. Haskew 209		
Compared bl/js js/bc TONOPAH, NEV			
Protested	,		
APPROVAL OF STATE ENG	INEER		
This is to certify that I have examined the foregoing application, and do	hereby grant the same, subject to the		
ollowing limitations and conditions: This permit is issued subject to existing rights. It			
mount of water herein granted is only a temporary allower	nce and that the final		
eter right obtained under this permit will be dependent understood or a reasonable lowering of the static water level. This is at the two (2) inch opening for measuring depth to water. It is also understood or a reasonable lowering of the static water level. This is it is a two (2) inch opening for measuring depth to water. It is also understant to water be installed and maintained to prevent waste. It is a two prevent wastes installed and maintained in the discharge pipeline near the curate measurements must be kept of water placed to be not exter must be installed before any use of water begins, or impletion of Work is filed. This source is located within that Engineer, pursuant to NRS 534.030. The State retains the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ablic, private or corporate lands. The total combined duty of water under Permits 48069, acced 12.7 million gallons annually. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which of the exceed. On the exceed. On the content of the permit water to be appropriated shall be limited to the amount which the exceed.	apon the amount of water that this right must allow swell shall be equipped If the well is flowing, a A totalizing meter must be ne point of diversion and eficial use. The totalizing before the Proof of an area designated by the ns the right to regulate of ingress and egress on 48070 and 48071 shall not a can be applied to beneficial use, and but not to exceed 12.7		
ster right obtained under this permit will be dependent usually placed to beneficial use. It is also understood or a reasonable lowering of the static water level. This it a two (2) inch opening for measuring depth to water. He was to be installed and maintained to prevent waste. It is stalled and maintained in the discharge pipeline near the curate measurements must be kept of water placed to beneficiar must be installed before any use of water begins, or impletion of Work is filed. This source is located withing the Engineer, pursuant to NRS 534.030. The State retains use of the water herein granted at any and all times. This Permit does not extend the permittee the right of abolic, private or corporate lands. The total combined duty of water under Permits 48069, acced 12.7 million gallons annually. ONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which of the exceed. O.1 cubic feet per second willion gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before the completed on the completed on or before the completed on the complete	that this right must allow well shall be equipped. If the well is flowing, a A totalizing meter must be ne point of diversion and efficial use. The totalizing before the Proof of an area designated by the ns the right to regulate of ingress and egress on 48070 and 48071 shall not can be applied to beneficial use, and but not to exceed 12.7		
ster right obtained under this permit will be dependent usually placed to beneficial use. It is also understood or a reasonable lowering of the static water level. This ith a two (2) inch opening for measuring depth to water. It is also understood or a reasonable lowering of the static water level. This it is also understood or a reasonable lowering of the static water level. This stalled and maintained in the discharge pipeline near the curate measurements must be kept of water placed to beneficiar must be installed before any use of water begins, or impletion of Work is filed. This source is located withing the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of abolic, private or corporate lands. The total combined duty of water under Permits 48069, acced 12.7 million gallons annually. ONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which of the exceed. Online cubic feet per second willion gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before the completed on the completed on or before the completed on the completed on or before the completed on the co	that this right must allow well shall be equipped. If the well is flowing, a A totalizing meter must be ne point of diversion and efficial use. The totalizing before the Proof of an area designated by the ns the right to regulate of ingress and egress on 48070 and 48071 shall not can be applied to beneficial use, and but not to exceed 12.7		
eter right obtained under this permit will be dependent usually placed to beneficial use. It is also understood or a reasonable lowering of the static water level. This it a two (2) inch opening for measuring depth to water. It is also understood or a reasonable lowering for measuring depth to water. It is also understood or measuring depth to water. It is also understood to prevent waste. It is also maintained in the discharge pipeline near the curate measurements must be kept of water placed to benefic must be installed before any use of water begins, or impletion of Work is filed. This source is located withing the Engineer, pursuant to NRS 534.030. The State retains the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of abolic, private or corporate lands. The total combined duty of water under Permits 48069, acceed 12.7 million gallons annually. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which to to exceed. O.1 Cubic feet per second willion gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before the complete of the work shall be filed before.	that this right must allow well shall be equipped. If the well is flowing, a A totalizing meter must be ne point of diversion and efficial use. The totalizing before the Proof of an area designated by the ns the right to regulate of ingress and egress on 48070 and 48071 shall not can be applied to beneficial use, and but not to exceed 12.7 October 19, 1987		
ster right obtained under this permit will be dependent usually placed to beneficial use. It is also understood or a reasonable lowering of the static water level. This is the atwo (2) inch opening for measuring depth to water. The alve must be installed and maintained to prevent waste. Installed and maintained in the discharge pipeline near the curate measurements must be kept of water placed to beneficer must be installed before any use of water begins, or impletion of Work is filed. This source is located within the Engineer, pursuant to NRS 534.030. The State retainment use of the water herein granted at any and all times. This Permit does not extend the permittee the right of ablic, private or corporate lands. The total combined duty of water under Permits 48069, and 12.7 million gallons annually. MONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which the amount of water to be appropriated shall be limited to the amount which willion gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before application of water to beneficial use shall be made on or before. Application of water to beneficial use shall be made on or before.	that this right must allow well shall be equipped If the well is flowing, a A totalizing meter must be ne point of diversion and efficial use. The totalizing before the Proof of an area designated by the ns the right to regulate of ingress and egress on 48070 and 48071 shall not can be applied to beneficial use, and but not to exceed 12.7 October 19, 1987 September 19, 1989		
ster right obtained under this permit will be dependent usually placed to beneficial use. It is also understood or a reasonable lowering of the static water level. This with a two (2) inch opening for measuring depth to water. It is also understood or a reasonable lowering for measuring depth to water. It is also understood or measurements must be installed and maintained to prevent waste. It is also under the courage of water begins or installed and maintained in the discharge pipeline near the courage measurements must be kept of water placed to beneficiate Engineer, pursuant to NRS 534.030. The State retains use of the water herein granted at any and all times. This Permit does not extend the permittee the right of abolic, private or corporate lands. The total combined duty of water under Permits 48069, acced 12.7 million gallons annually. NONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which not to exceed. O.1 Cubic feet per second willion gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before the application of water to beneficial use shall be filed on or before. Proof of the application of water to beneficial use shall be filed on or before.	that this right must allow well shall be equipped If the well is flowing, a A totalizing meter must be me point of diversion and efficial use. The totalizing before the Proof of an area designated by the sthe right to regulate of ingress and egress on 48070 and 48071 shall not can be applied to beneficial use, and but not to exceed 12.7 October 19, 1987 October 19, 1989 October 19, 1989		
atter right obtained under this permit will be dependent untually placed to beneficial use. It is also understood or a reasonable lowering of the static water level. This is that two (2) inch opening for measuring depth to water. alve must be installed and maintained to prevent waste. Installed and maintained in the discharge pipeline near the curate measurements must be kept of water placed to beneficial measurements must be kept of water placed to benefice the must be installed before any use of water begins, or impletion of Work is filed. This source is located withing the use of the water herein granted at any and all times. This Permit does not extend the permittee the right of abolic, private or corporate lands. The total combined duty of water under Permits 48069, acced 12.7 million gallons annually. NOTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which not to exceed. O.1 Cubic feet per second million gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before. Application of water to beneficial use shall be filed on or before. Map in support of proof of beneficial use shall be filed on or before. Completion of work filed. IN TESTIMONY WHEREOF,	that this right must allow well shall be equipped If the well is flowing, a A totalizing meter must be me point of diversion and eficial use. The totalizing before the Proof of an area designated by the ms the right to regulate of ingress and egress on 48070 and 48071 shall not can be applied to beneficial use, and but not to exceed 12.7 October 19, 1987 October 19, 1989		
atter right obtained under this permit will be dependent untually placed to beneficial use. It is also understood or a reasonable lowering of the static water level. This it has two (2) inch opening for measuring depth to water alve must be installed and maintained to prevent waste. Installed and maintained in the discharge pipeline near the courate measurements must be kept of water placed to beneficial use of work is filed. This source is located withing the Engineer, pursuant to NRS 534.030. The State retainment use of the water herein granted at any and all times. This Permit does not extend the permittee the right of abolic, private or corporate lands. The total combined duty of water under Permits 48069, keeed 12.7 million gallons annually. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which not to exceed. O.1 Cubic feet per second million gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before. Application of water to beneficial use shall be filed on or before. Map in support of proof of beneficial use shall be filed on or before. Completion of work filed. IN TESTIMONY WHEREOF, State Engineer of Nevada, hereof of beneficial use filed.	that this right must allow well shall be equipped If the well is flowing, a A totalizing meter must be ne point of diversion and efficial use. The totalizing before the Proof of an area designated by the ns the right to regulate of ingress and egress on 48070 and 48071 shall not can be applied to beneficial use, and but not to exceed 12.7 October 19, 1987 October 19, 1989 October 19, 1989		
ctually placed to beneficial use. It is also understood or a reasonable lowering of the static water level. This it has two (2) inch opening for measuring depth to water alve must be installed and maintained to prevent waste. Installed and maintained in the discharge pipeline near the curate measurements must be kept of water placed to beneficial the Engineer, pursuant to NRS 534.030. The State retainments are use of the water herein granted at any and all times. This Permit does not extend the permittee the right of the use of the water herein granted at any and all times. The total combined duty of water under Permits 48069, seed 12.7 million gallons annually. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which not to exceed. O.1 cubic feet per second million gallons annually. Work must be prosecuted with reasonable diligence and be completed on or before application of water to beneficial use shall be filed on or before. Proof of the application of water to beneficial use shall be filed on or before. Map in support of proof of beneficial use shall be filed on or before. Completion of work filed. IN TESTIMONY WHEREOF, State Engineer of Nevada, here is the static water in t	that this right must allow well shall be equipped If the well is flowing, a A totalizing meter must be ne point of diversion and efficial use. The totalizing before the Proof of an area designated by the ns the right to regulate of ingress and egress on 48070 and 48071 shall not can be applied to beneficial use, and but not to exceed 12.7 October 19, 1987 October 19, 1989 October 19, 1989		

(PERMIT TERMS CONTINUED)

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred

use.

